

L Number	Hits	Search Text	DB	Time stamp
1	9	"6178956"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 20:41
2	29	"3714932"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 20:42
3	18	"6276334"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 20:44
4	13	"5623904"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 20:44
-	6991	sub-atmospheric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 18:54
-	629	sub-atmospheric and engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:41
-	6	sub-atmospheric and engine and (variable near2 displacement or disable near2 (valv\$2 or cylinder\$2) or deactivatable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:45
-	2020	internal near2 (EGR or exhaust near2 gas near2 recirculation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:48
-	0	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos near5 valv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:48
-	0	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos near5 valv	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:49
-	1124	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos\$3 near5 valv\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:55
-	352	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos\$3 near5 valv\$2 same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:57
-	0	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos\$3 near5 valv\$2 same compress\$4 and sub near2 atmosph\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 17:58
-	3	internal near2 (EGR or exhaust near2 gas near2 recirculation) and clos\$3 near5 valv\$2 same compress\$4 and subatmospheric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 13:42

-	0	internal near2 (EGR or exhaust near2 gas near2 recirculation) and (intake or inlet) near3 open same compress\$4 and subatmospheric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 18:35
-	127	internal near2 (EGR or exhaust near2 gas near2 recirculation) and fresh near2 air same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 18:35
-	103	internal near2 (EGR or exhaust near2 gas near2 recirculation) and (intake or inlet) near3 open same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/22 13:42
-	20	internal near2 (EGR or exhaust near2 gas near2 recirculation) same (intake or inlet) near3 open same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/22 13:42
-	79	internal near2 (EGR or exhaust near2 gas near2 recirculation) same (intake or inlet) near3 (open or air) same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 18:46
-	36	internal near2 (EGR or exhaust near2 gas near2 recirculation) and (intake or inlet) near2 open and (exhaust or outlet) near2 open same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/22 15:18
-	0	123/320-322.ccls. and internal near2 (EGR or exhaust near2 gas near2 recirculation) and (intake or inlet) near2 open and (exhaust or outlet) near2 open same compress\$4 and subatmospheric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 19:16
-	24	internal near2 (EGR or exhaust near2 gas near2 recirculation) same fresh near2 air same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 19:19
-	3	internal near2 (EGR or exhaust near2 gas near2 recirculation) same fresh near2 air same (inlet or intake) near2 open same (outlet or exhaust near2 open) same compress\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 19:27
-	1	internal near2 (EGR or exhaust near2 gas near2 recirculation) same fresh near2 air same (inlet or intake) near2 open same (outlet or exhaust near2 open) and compression near2 stroke	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 19:39
-	4	internal near2 (EGR or exhaust near2 gas near2 recirculation) same fresh near2 air same (inlet or intake) near2 open same (outlet or exhaust near2 open) and valv\$2 near2 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 19:54
-	16	internal near2 (EGR or exhaust near2 gas near2 recirculation) same fresh near2 air same (inlet or intake near2 clos\$3) same (outlet or exhaust near2 clos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 20:04
-	2619	(intake or inlet) near2 stroke same valv\$2 near5 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 20:05
-	326952	(intake or inlet) near2 stroke same (inlet or intake) and (outlet or exhaust) valv\$2 near5 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/20 20:06

-	2184	(intake or inlet) near2 stroke same (inlet or intake) and (outlet or exhaust) near2 valv\$2 near5 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 20:06
-	221	(intake or inlet) near2 stroke same both near2 (inlet or intake) and (outlet or exhaust) near2 valv\$2 near5 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 20:06
-	105	(intake or inlet) near2 stroke near5 both near2 (inlet or intake) and (outlet or exhaust) near2 valv\$2 near5 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 20:12
-	685	(intake or inlet) near2 stroke same (inlet or intake) near2 valv\$2 near3 clos\$2 and (outlet or exhaust) near2 valv\$2 near3 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/20 20:17
-	410	(intake or inlet) near2 stroke near10 (inlet or intake) near2 valv\$2 near3 clos\$2 and (outlet or exhaust) near2 valv\$2 near3 clos\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 11:50
-	1730	123/90.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 11:54
-	1315	123/90.16.ccls. not 123/90.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 11:51
-	1216	123/90.17.ccls. not 123/90.15.ccls. not (123/90.16.ccls. not 123/90.15.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 11:51
-	151	123/90.18.ccls. not 123/90.15.ccls. not (123/90.16.ccls. not 123/90.15.ccls.) not (123/90.17.ccls. not 123/90.15.ccls. not (123/90.16.ccls. not 123/90.15.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 11:51
-	66	123/90.15-90.18.ccls. and no near2 overlap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/24 20:56
-	1	123/90.15-90.18.ccls. and no near2 overlap near5 (intake or inlet) near2 strok\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 13:42
-	204	minus near2 overlap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 13:36
-	22	123/90.15-90.18.ccls. and no near2 overlap and internal near2 (EGR or exhaust near2 gas near2 recirculation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/21 13:40
-	15	123/320-322.ccls. and scaveng\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 12:46

-	127	123/90.15-90.18.ccls. and scaveng\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 13:21
-	0	(intake or inlet) near2 (event or stroke) near3 subatmospheric same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 13:45
-	1	(intake or inlet) near2 (event or stroke) near3 (vacuum or low near2 pressur\$8) same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 13:57
-	73	(intake or inlet) near2 (event or stroke) near3 pressur\$8 same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 14:19
-	74	(intake or inlet) near2 (event or stroke) near3 pressur\$8 same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas or (return near2 gas\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 14:47
-	8920	pressure near2 combustion near2 chamber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 14:45
-	13	(intake or inlet) near2 (event or stroke) near3 pressur\$8 near3 chamber same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas or (return near2 gas\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 14:54
-	29	(intake or inlet) near2 (event or stroke) near3 pressur\$8 near3 (chamber or cylinder) same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas or (return near2 gas\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 14:54
-	16	(intake or inlet) near2 (event or stroke) near3 pressur\$8 near3 (chamber or cylinder) same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas or (return near2 gas\$3)) not ((intake or inlet) near2 (event or stroke) near3 pressur\$8 near3 chamber same (internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe or exhaust near2 gas or (return near2 gas\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 17:43
-	163	(internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe) and (intake or inlet) near2 open and (exhaust or outlet) near2 open	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 15:21
-	1	(internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe) and (intake or inlet) near2 open and (exhaust or outlet) near2 open same return\$2 near2 gas\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 15:23
-	0	(internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe) same (intake or inlet) near2 open and (exhaust or outlet) near2 open same return\$2 near2 gas\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 15:23
-	57	(internal near2 (EGR or exhaust near2 gas near2 recirculation) or rebreathe) same (intake or inlet) near2 open and (exhaust or outlet) near2 open	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/22 15:24

-	64	123/90.15-90.18.ccls. and no near2 overlap and (piston\$2 or strok\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/22 18:15
-	1	"6626164" and expansion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/24 18:54
-	2	"6626164" and (expansion or power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/24 19:11
-	2	"6626164" and fresh near2 air	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/24 20:40